

									Target	
Performance Outcomes	Performance Categories	Measures	2021	2022	2023	2024	2025	Trend	Industry	Distributor
Customer Focus Services are provided in a manner that responds to identified customer preferences.	Service Quality	New Residential/Small Business Services Connected on Time	99.15%	99.27%	98.01%	99.14%	99.67%	⬆️	90.00%	
		Scheduled Appointments Met On Time	100.00%	100.00%	100.00%	100.00%	100.00%	➡️	90.00%	
		Telephone Calls Answered On Time	68.27%	69.81%	74.84%	71.23%	75.27%	⬆️	65.00%	
	Customer Satisfaction	First Contact Resolution	99.52%	99.72%	99.43%	99.39%	99.39%			
		Billing Accuracy	99.82%	99.88%	99.85%	99.66%	99.96%	⬆️	98.00%	
		Customer Satisfaction Survey Results	A	A	A	A	A			
Operational Effectiveness Continuous improvement in productivity and cost performance is achieved; and distributors deliver on system reliability and quality objectives.	Safety	Level of Public Awareness	84.00%	83.00%	83.00%	83.00%	83.00%			
		Level of Compliance with Ontario Regulation 22/04 ¹	C	C	C	C	C	➡️		C
		Serious Electrical Incident Index	Number of General Public Incidents	1	0	7	4	4	⬆️	2
			Rate per 10, 100, 1000 km of line	0.326	0.000	2.258	1.286	1.281	⬆️	0.000
	System Reliability	Average Number of Hours that Power to a Customer is Interrupted ²	0.83	0.63	0.76	0.78	0.97	⬆️		0.85
		Average Number of Times that Power to a Customer is Interrupted ²	0.85	0.95	0.96	0.88	1.31	⬆️		1.09
	Asset Management	Distribution System Plan Implementation Progress	Below Budget	Above Budget	Above Budget	Above Budget	Above Budget			
	Cost Control	Efficiency Assessment	3	3	3	3	3			
		Total Cost per Customer ³	\$577	\$626	\$702	\$735	\$782			
		Total Cost per Km of Line ³	\$30,797	\$33,533	\$37,717	\$39,619	\$42,169			
Public Policy Responsiveness Distributors deliver on obligations mandated by government (e.g., in legislation and in regulatory requirements imposed further to Ministerial directives to the Board).	Connection of Renewable Generation	New Micro-embedded Generation Facilities Connected On Time							90.00%	
Financial Performance Financial viability is maintained; and savings from operational effectiveness are sustainable.	Financial Ratios	Liquidity: Current Ratio (Current Assets/Current Liabilities)	0.55	1.47	1.52	1.71	2.00			
		Leverage: Total Debt (includes short-term and long-term debt) to Equity Ratio	1.04	0.93	1.04	1.13	1.28			
		Profitability: Regulatory Return on Equity	Deemed (included in rates)	8.78%	8.66%	8.66%	8.66%	8.66%		
			Achieved	6.96%	6.39%	7.05%	7.54%	6.37%		

1. Compliance with Ontario Regulation 22/04 assessed: Compliant (C); Needs Improvement (NI); or Non-Compliant (NC).
2. An upward arrow indicates decreasing reliability while downward indicates improving reliability.
3. A benchmarking analysis determines the total cost figures from the distributor 's reported information.

Legend:

5-year trend

⬆️ up ⬆️ down ➡️ flat

Current year

🟢 target met 🟢 target not met

2025 Scorecard Management Discussion and Analysis (“2025 Scorecard MD&A”)

The link below provides a document titled “Scorecard - Performance Measure Descriptions” that has the technical definition, plain language description and how the measure may be compared for each of the Scorecard’s measures in the 2025 Scorecard MD&A:

[http://www.oeb.ca/oeb/ Documents/scorecard/Scorecard Performance Measure Descriptions.pdf](http://www.oeb.ca/oeb/Documents/scorecard/Scorecard%20Performance%20Measure%20Descriptions.pdf)

Scorecard MD&A - General Overview

At London Hydro, fostering innovation in our employees is a corporate priority. Employees in every area of the organization are encouraged to be creative and look for opportunities to do things in a more efficient manner and, by doing so, they have positioned London Hydro as a leader in safety, reliability, technology, and cost management.

The innovation and dedication of our employees led to another successful year in 2025, as London Hydro met or exceeded most of the OEB scorecard targets. London Hydro continued to meet and surpass not only the OEB requirements but also customer expectations. The OEB targets not achieved related to serious reportable incidents and average number of hours and times that power to a customer was interrupted. Four reportable incidents were experienced in the 2025 reporting year. While none of these incidents caused injury to employees or the public, London Hydro takes them very seriously and used them as continuous improvement opportunities to implement modifications to engineering designs and/or targeted replacement programs, where appropriate, to ensure continued safe and reliable distribution of electricity to our customers.

London Hydro is proud of the advances in customer focus, operational effectiveness, public policy responsiveness and financial performance it has made in 2025. The following particular achievements helped us reduce or mitigate customer rates, improve safety and/or enhance the customer experience:

Customer Focus:

Maintained an “A” rating in our Customer Satisfaction surveys with an overall customer satisfaction of 92%.

London Hydro has continued to work closely with customers and has provided them with a variety of payment options to help them manage through very difficult times.

Public Policy Responsiveness: London Hydro provided funding for the Low-Income Energy Assistance Program (LEAP) in the amount of \$650,000 in 2025.

Service Quality

- **New Residential/Small Business Services Connected on Time**

In 2025, London Hydro connected 99.67% of its 1,839 eligible low-voltage residential and small business customers (those utilizing connections under 750 volts) to its system within the five-day timeline prescribed by the Ontario Energy Board (OEB). This score exceeds the OEB-mandated threshold of 90%. Some of the reasons that London Hydro achieves success in connecting customers quickly is due to efficient workflow processes combined with the use of technology.

- **Scheduled Appointments Met On Time**

London Hydro scheduled 103 appointments with its customers in 2025 to complete work requested by customers or by customers' representatives. The utility met 100% of these appointments on time, which significantly exceeded the industry target of 90%. The duties and obligations of this requirement are well communicated to and known by London Hydro's staff, which has contributed to London Hydro's success in this area.

- **Telephone Calls Answered On Time**

In 2025, 86,937 calls were made to London Hydro, of which 65,438 were answered in 30 seconds or less by our Customer Service Representatives, averaging 350 calls per day. London Hydro continues to exceed the required 65% metric for "Calls Answered on Time" using tools such as a dual service model, utilizing both internal staff and a call overflow company to support call handling. This approach provides flexibility in managing daily and monthly peak call volumes which helps ensure calls are answered on time while maintaining low costs. London Hydro has also implemented online self-service tools and offers a live chat option to its customers, encouraging more customer engagement. London Hydro is committed to maintaining exceptional customer care and continually finding ways to improve the customer experience.

Customer Satisfaction

- **First Contact Resolution**

London Hydro strives to serve customers in a friendly and professional manner while answering their questions and resolving their issues within the first call. In 2025, London Hydro successfully resolved over 99% of customer's inquiries on the first contact. Our success is attributed to several factors including our comprehensive training program for new hires, a dedicated resource for gap training and good process management for handling customer inquiries. Additionally, London Hydro uses call monitoring tools to record and archive calls to allow us to evaluate our staff's call handling; each month we review one randomly selected call with each Customer Service Representative. London Hydro also logs all customer interactions in our Customer Information System, including any escalations, which provides every Customer Service Representative with the customer history required to help resolve current issues. The results of our annual Customer Satisfaction Survey also provide valuable feedback to help us learn what is working and what areas require improvement.

- **Billing Accuracy**

In 2025, London Hydro achieved an overall billing accuracy rate of 99.96%, surpassing the industry target of 98%. To supplement our validating, estimating and editing process, London Hydro uses audits and controls within our CIS system to ensure the accuracy of bill calculations. Any identified billing irregularities are investigated, analyzed and evaluated for impacts. All billing system changes are verified and tested by a cross section of experts from several teams. A dedicated team monitors and manages bill print exceptions.

- **Customer Satisfaction Survey Results**

London Hydro Inc. engages a third party to conduct a Customer Satisfaction Survey. The purpose of London Hydro's involvement in these surveys is to determine a benchmark for measuring our customers' perceived level of satisfaction with all areas of service and, equally important, to identify any areas for improvement. The survey asks a core set of questions that provide benchmarks for the comparison of year-to-year important items such as overall satisfaction with London Hydro, reliability of service, outages, billing issues and corporate image. Additionally, London Hydro provides a second set of questions regarding specific current issues to identify and respond to new needs or expectations of our customers. The information gathered from the survey is then carefully considered and included in the development or enhancement of both London Hydro's Strategic Plan and Corporate Communications Plan.

Once again, London Hydro received an overall score of “A” on its annual Customer Satisfaction Survey. In 2025, London Hydro’s Customer Satisfaction results were frequently equal to or better than Provincial and National counterparts. Customers’ overall satisfaction rating for London Hydro was 92% pre-survey and 89% post-survey. Despite concerns about the financial climate and a greater prominence and scrutiny placed on all household expenditures, customers continue to be generally satisfied with London Hydro. Delivering reliable electricity continues to be a core expectation of customers.

This survey is a valuable tool for gauging customers’ awareness of changes in the industry, the level of satisfaction with the services London Hydro provides, customers’ insights into capital programs, and identifying any areas of improvement. London Hydro’s goal is to provide service excellence in all we do, and we plan to continue surveying our customers to benchmark our service levels and help us continue to develop service enhancements.

Safety

- **Public Safety**

- **Component A – Public Awareness of Electrical Safety**

In 2025, London Hydro continued to provide safety awareness to various groups of customers. The following programs were delivered in 2025:

- London Hydro’s School Safety Program ran throughout 2025. The program goes into schools and provides electrical safety tips for inside and outside the home for students in grades three through eight.
- Media coverage for electrical safety-related issues and incidents in the community, including Copper Wire Theft.
- Social media posts were used to create awareness of safety around energized assets.
- Safety pages are periodically posted to London Hydro’s website home page to increase awareness of electrical safety among customers. Some of the webpages hosted by London Hydro related to safety include:

Safety landing page:	https://www.londonhydro.com/safety
Staying safe at home:	https://www.londonhydro.com/your-safety
Staying safe outside:	https://www.londonhydro.com/community-safety
Power outage safety:	https://www.londonhydro.com/power-outage-safety
Powerline safety:	https://www.londonhydro.com/powerline-safety

- **Component B – Compliance with Ontario Regulation 22/04**

London Hydro continued to maintain compliance with Ontario Regulation 22/04 (Electrical Distribution Safety). This success is achieved by London Hydro's strong commitment to safety and adherence to company policies, procedures and Safe Work Practices. The Electrical Distribution Safety Regulation (Ontario Regulation 22/04) establishes objectives-based electrical safety requirements for the design, construction, and maintenance of electrical distribution systems owned by licensed distributors. Specifically, the regulation requires the approval of equipment, plans, specifications and inspection of construction before it is put into service.

The Electrical Safety Authority (ESA) performs Due Diligence Inspections (DDI) throughout the year to ensure utilities remain compliant with the objectives set out in Ontario Regulation 22/04. London Hydro has a process in place for responding to DDI's and for reporting back to the ESA on the action plans taken within the specified time period. London Hydro maintained full compliance with the ESA's DDI process in 2025.

- **Component C – Serious Electrical Incident Index**

London Hydro experienced four reportable incidents during the 2025 reporting year. One of the incidents was caused by a vehicle accident when a member of the public lost control of their vehicle and left the roadway and collided with a distribution pole. The second and third incidents involved the failure of an overhead wire connection and a failed overhead wire respectively. The fourth incident occurred when a tree was uprooted and fell on an overhead poleline causing the wires to be brought to the ground during a high wind event.

None of the electrical incidents resulted in injury, either to a worker or to a member of the public. In order to maintain the safety and reliability of the distribution grid, London Hydro conducts an investigation of all incidents of this nature.

System Reliability

- **Average Number of Hours that Power to a Customer is Interrupted (SAIDI)**

In 2025, London Hydro had an annual performance of 0.97 hours, meaning the average customer experienced approximately 58 minutes of outage duration during the year. London Hydro's five-year rolling average System Average Interruption Duration Index (SAIDI), excluding Loss of Supply and Major Event Days, was 0.79, which is better than the performance target of 0.85 hours.

Compared to the 2021-2024 average, the increase in SAIDI during 2025 was primarily attributed to Tree Contact and Equipment Failure events. While fewer such outages occurred in 2025, several events affected a larger number of customer and/or required longer restoration times, resulting in a greater overall impact on annual SAIDI performance. London Hydro continues to analyze outage trends and system performance to identify opportunities for targeted infrastructure investments, maintenance activities, and technology enhancements that improve reliability and reduce outage durations.

Scheduled outages also contributed to 2025 performance, representing approximately 20% of total outage duration. These outages are necessary to safely complete system renewal and infrastructure improvement projects that support the long-term reliability and resilience of the electrical distribution system.

- **Average Number of Times that Power to a Customer is Interrupted (SAIFI)**

In 2025, London Hydro recorded a System Average Interruption Frequency Index (SAIFI) of 1.31, meaning the average customer experienced approximately 1.3 power interruptions during the year. London Hydro's five-year rolling average SAIFI, excluding Loss of Supply and Major Event Days, was 0.99, which is better than the performance target of 1.09.

Compared to the 2021-2024 average, the increase in SAIFI during 2025 was primarily attributable to Tree Contact, Equipment Failure, and Unknown cause interruptions. While the frequency of these outage causes was not significantly different from historical levels, several events affected a larger number of customers, resulting in a greater overall impact on annual SAIFI performance.

London Hydro continues to analyze outage trends and system performance to identify opportunities for targeted infrastructure investments, maintenance activities, and technology enhancements that help reduce the frequency of customer interruptions and improve overall system reliability.

- Distribution System Plan Implementation Progress**

London Hydro's overall DSP implementation is "Above Budget". To ensure the objectives of the DSP are achieved, London Hydro closely monitors the "Controllable Capital" projects – System Renewal and System Service. These projects enable London Hydro to maintain system safety and reliability at the levels preferred by our customers. Year to year fluctuations occur due to the timing of projects, but the five-year trend is within 4.6% of budget.

DSP Implementation						
(% variance from budget)	2021	2022	2023	2024	2025	5 Year Total
Annual Controllable Capital Budget	\$18.6M	\$18.6M	\$16.5M	\$21.5M	\$23.2M	\$98.4M
Actual Spending	\$17.6M	\$20.5M	\$17.7M	\$21.6M	\$25.5M	\$102.9M
Variance \$	-\$1.0M	\$1.9M	\$1.2M	\$0.1M	\$2.3M	\$4.5M
Variance %	-5.5%	10.2%	7.3%	0.5%	9.9%	4.6%

- **Efficiency Assessment**

The total costs for Ontario local electricity distribution companies are evaluated by the Pacific Economics Group LLC (PEG) on behalf of the OEB to produce a single efficiency ranking. The electricity distributors are divided into five groups based on the magnitude of the difference between their respective individual actual and predicted costs. London Hydro's 2025 results kept us in the Group 3. Group 3 distributors are defined as having actual costs within +/- 10% of predicted costs. Group 3 is considered average performers – in other words, according to PEG, London Hydro's actual costs are in the average cost range of predicted costs for distributors in the Province of Ontario.

London Hydro's goal is always to be as efficient as possible given the environment we operate in. While London Hydro works hard to implement efficiencies to maintain cost increases at or less than inflation, continuing outside influences accelerate operational spending, which is the prime driver in this assessment.

- **Total Cost per Customer**

Total cost per customer is calculated as the sum of London Hydro's capital and operating costs divided by the total number of customers that London Hydro serves. The cost performance result for 2025 is \$782/customer (2024 was \$735/customer) which is a 6.4% increase over 2024.

In recent years, population growth within London Hydro's service territory has outpaced customer account growth. This variance can be explained by a shift in housing density and an increased concentration of growth in high-rise and multi-residential developments. While high-rise and multi-residential developments accommodate a larger share of London's expanding population, they generate fewer discrete metered customer accounts relative to the infrastructure and operating investments required, which contributes to an increased cost per customer.

Similar to most other distributors in the province, London Hydro has experienced increases in the total costs required to deliver safe, reliable and resilient services to customers. Industry trends include customer growth, rising electricity demand, electrification, and more frequent and severe extreme weather events. London Hydro has also made investments to strengthen governance, risk management, operational efficiency and workforce capability. London Hydro's business plan emphasizes customer and community priorities, including programs to enhance customer experience, continuously enhance support for vulnerable customers and encourage conservation and demand-side management. Utilities have experienced equipment and material cost increases that far exceed the general rate of inflation.

London Hydro will continue to replace distribution assets proactively and systematically, when required, along a carefully managed timeframe in a manner that balances system risks and customer rate impacts. London Hydro will continue to implement productivity and improvement initiatives to help offset some of the costs associated with future system improvement and enhancements.

- **Total Cost per Km of Line**

This measure uses the same total cost that is used in the Cost per Customer calculation above. The total cost is divided by the kilometers of line that London Hydro operates to serve its customers. London Hydro's 2025 rate is \$42,169 per km of line, an increase over the 2024 rate of \$39,619 per km of line.

Connection of Renewable Generation

- **New Micro-embedded Generation Facilities Connected On Time**

There were no new requests to have Micro-embedded Generation Facilities connected in 2025.

Financial Ratios

- **Liquidity: Current Ratio (Current Assets/Current Liabilities)**

Current assets represent cash and other assets that are expected to become cash within the next year. Conversely, current liabilities are financial obligations that are anticipated to be paid within a year. A ratio that is greater than 1 may be an indicator that a company is able to meet its financial obligations coming due within the next year. A higher ratio of current assets to current liabilities provides greater comfort that current liabilities can be paid, while leaving excess funds for future investments and long-term debt servicing. A ratio of less than 1 could be a signal that a company may not be able to keep up with its upcoming payments, indicating insufficient cash flows from profits or the need for financing.

London Hydro's current ratio is affected by items such as accounts receivable and liabilities for electricity, which can fluctuate significantly, depending on factors including changes in customer consumption and the price of electricity acquired on behalf of customers. Another factor that can have a significant impact, is when debt matures. Debt maturing in less than 12 months is classified as short-term and increases current liabilities. The current ratio can also be affected by the timing and extent of capital investments in the London Hydro distribution system as these investments can have a significant impact on cash balances. Accordingly, a fluctuation in London Hydro's ratio is not necessarily an indicator of stability or financial performance.

The Company's ratio as of December 2025 was 2.00, which has increased in comparison to the 2024 amount (1.71) and ratios for the last five-year average (1.45).

- **Leverage: Total Debt (includes short-term and long-term debt) to Equity Ratio**

London Hydro has a capital mix of 56% debt and 44% equity (debt to equity ratio of 1.28) for 2025. The OEB uses a deemed capital structure of 60% debt and 40% equity (debt to equity ratio of 1.5) when establishing rates.

A debt-to-equity ratio higher than 1.5 may indicate that the Company will have difficulty obtaining the required debt to finance capital investments and meet working capital requirements. A debt-to-equity ratio less than 1.5 may be a signal that the Shareholder is not achieving an optimum rate of return, as a portion of their investment is providing a lower yield.

London Hydro's capital mix equips the Company with unused debt capacity making funds readily available for future capital investments. This, in turn, keeps London Hydro in a strong and agile financial position. The most recent Standard & Poor's Rating Services rating is A/Stable.

- **Profitability: Regulatory Return on Equity – Deemed (included in rates)**

London Hydro's current distribution rates were approved by the OEB and include an expected (deemed) regulatory return on equity of 8.66%. The OEB allows a distributor to earn within +/- 3% of the expected return on equity. When a distributor performs outside of this range, the actual performance may trigger a regulatory review of the distributor's revenues and costs structure by the OEB.

- **Profitability: Regulatory Return on Equity – Achieved**

London Hydro achieved a return on equity in 2025 of 6.37%, which is 2.29% below the deemed return on equity and within the +/-3% range allowed by the OEB.

London Hydro achieved a net income level below the deemed return on equity amount for each of the past five years as the Company has experienced cost increases required to provide safe, reliable, and customer focused.

Note to Readers of 2025 Scorecard MD&A

The information provided by distributors on their future performance (or what can be construed as forward-looking information) may be subject to a number of risks, uncertainties and other factors that may cause actual events, conditions or results to differ materially from historical results or those contemplated by the distributor regarding their future performance. Some of the factors that could cause such differences include legislative or regulatory developments, financial market conditions, general economic conditions and the weather. For these reasons, the information on future performance is intended to be management's best judgement on the reporting date of the performance scorecard, and could be markedly different in the future.